

TASKalfa 308ci/358ci/408ci

Color/Monochrome Multifunction Product  
for A4 Format



# Simplify Office Routine Unprecedented Reliability Reduce Running Costs

**MFP**  
TELECOMS & COPIERS



**KYOCERA**

[www.kyoceradocumentsolutions.com.hk](http://www.kyoceradocumentsolutions.com.hk)

# Born to be Extraordinary

## KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates a "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.



# Options



**DP-5130**  
Document Processor (DSDP)

**DP-5120**  
Document Processor (DSDP)

**DP-5100**  
Document Processor (RADF)



**DF-5100**  
300 Sheet  
Internal Finisher



**DT-5100**  
Document Tray



**NK-7100(B)**  
Numeric Keypad



**MT-5100<sup>1</sup>**  
5 Bin Mailbox



**JS-5100**  
Job Separator



**AK-5100**  
Attachment Kit



RFID IC  
Card Reader Holder



**DF-5110<sup>1</sup>**  
1,000 Sheet Finisher




**DF-5120<sup>1</sup>**  
3,000 Sheet Finisher

**Stapler Option**  
SH-10 for DF-5100 / DF-5110 / DF-5120

**Hole Punch Option**  
PH-5110 for DF-5110



**PF-5140<sup>2</sup>**  
2,000 Sheet Tray

**PF-5130<sup>2</sup>**  
2 X 500 Sheet Tray

**PF-5120**  
500 Sheet Tray

Main Specifications				
Model	TASKalfa 308ci		TASKalfa 358ci	TASKalfa 408ci
Main Function	Copy, Print, Scan, Fax (Optional)			
Writing Method	Semiconductor Laser			
CPU	Monaco (ARM Cortex-A9 Dual core 1.2GHz+ ARM Cortex-M3 100MHz)		Freescale QorIQ T1024 (Dual Core) 1.0GHz	
Print Speed (A4)	Simplex (Mono/Color)	30/30 cpm	35/35 cpm	40/40 cpm
Scanning Speed (A4) 300dpi	DP-5100 (Mono/Color) Simplex	40/30 ipm	60/60 ipm	60/60 ipm
	Duplex	17/13 ipm	26/26 ipm	26/26 ipm
Scanning Speed (A4) 300dpi Dual Scan	DP-5120 (Mono/Color) Simplex	-	60/60 ipm	60/60 ipm
	Duplex	-	120/120 ipm	120/120 ipm
Scanning Speed (A4) 300dpi Dual Scan	DP-5130 (Mono/Color) Simplex	-	85/65 ipm	85/65 ipm
	Duplex	-	170/130 ipm	170/130 ipm
Memory	Standard 1,536MB (Max. 3,072MB)		Standard 4GB (Max. 4GB)	
SSD/HDD Capacity	SSD 32GB (Opt)/HDD 128GB (Opt)		SSD 16GB (Std) / HDD 320GB (Opt)	SSD 8GB (Std)/HDD 320GB (Std)
Warm Up Time	20 seconds		24 seconds	
Paper Capacity	Standard/Maximum 500 sheets (Cassette) + 100 sheets (MPT) / 3,100 sheets (Main Unit + PF-5120 + PF-5140 + MPT)			
Paper Size	Cassette/Option	Max. A4 (Legal) - Min. A6R		
	MPT	Max. A4 (Legal) - Min. A6R & Banner Print of 1,220mm x 216mm		
Paper Weight	Cassette/Option/MPT	60 - 220 g/m <sup>2</sup>		
Duplex Printing	Paper size:A4 (Legal) - ASR; Paper weight: 60 - 220 g/m <sup>2</sup>			
Output Capacity	Max. 500 sheets face-down			
Control Panel	7 inch Color Touch LCD Panel			
Document Processor	Standard (Max. 75 sheets RADF Type)		Optional (RADF Type/ Dual: built-in CIS type)	
Dimension (W x D x H) (Main Unit)	550mm x 507.5mm x 735.6mm		550mm x 508mm x 612.8mm (without DP)	550mm x 550mm x 612.8mm (without DP)
Weight (Main Unit)	Approx. 49.6 kg		Approx. 47.4 kg (without DP)	Approx. 49.3 kg (without DP)
Power Consumption (Standard configuration)	Copy/Print Mode	497W	563W or less	652W or less
	Stand-by Mode	69W	81W or less	84W or less
	Energy Saver	0.5W	0.7W or less	
Noise (ISO7779/ ISO9296)	Copy/Print Mode	65.4dB(A)	67dB(A)	69.5dB(A)
	Stand-by Mode		45dB(A)	
Copy Functions (Standard)				
Copy Size	Max. A4 (Legal) - Min. A6R			
Resolution	600 x 600 dpi			
First Copy Time (Mono/Color)	6.4 sec/7.8 sec	5.9 sec/7.3 sec	5.8 sec/6.9 sec	
Zoom Ratio	Manual	25% - 400% (1% per Step)		
	Pre-defined	7RSE		
Multiple Copy	1 - 999	1 - 9,999		
Print Functions (Standard)				
Resolution	1200 x 1200 dpi; 600 x 600 dpi level			
PDL	PRESCRIBE, PCL6 (PCL-Sc, PCL-XL), KPDLL3 (PostScript 3 compatible), PDF, XPS, OpenXPS			
First Print Out Time (Mono/Color)	7.0 sec/8.0 sec	5.5 sec/6.5 sec	5.4 sec/6.4 sec	
Supported Protocol	TCP/IP, IPv4, IPv6; HTTP, LPD, FTP, IPP, RawPort, LLTD, SNMP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print, Apple Bonjour			
Operating System Supported	Windows Server 2008/2008 R2/2012/2012 R2, Windows Vista/7/8/8.1/10, Apple Macintosh OS X 10.9 or later, Linux			
Interface	USB2.0 High Speedx1; 1000BASE-T/100BASE-TX/10BASE-T; USB Host interface (USB Host) x 2		USB2.0 High Speedx1; 1000BASE-T/100BASE-TX/10BASE-T; USB Host interface (USB Host) x 3	
USB Memory Printing	Standard			
USB Memory Printing Format	TIFF, JPEG, PDF, XPS			
Mobile Printing	AirPrint, Mopria, KYOCERA Mobile Print			
Scan Functions (Standard)				
Color Selection	Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White			
Resolution	600dpi, 400dpi, 300dpi, 200dpi, 200x100dpi, 200x400dpi			
File Format	TIFF, JPEG, XPS, PDF (MMR/ JPG/ /High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional), MS Office file (Optional)			
Image Type Mode	Text, Photo, Text + Photo, OCR			
Transmission Type	Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan; WIA			
Address Storage	200 addresses (Common address list), 50 groups (Group address list)	2,000 addresses (Common address list), 500 groups (Group address list)		
Fax Functions (Optional)				
Original Size	Max. A4 (Legal) - Min. A6 (Statement)			
Coding Method	MMR, MR, MH, JBIG			
Transmission Speed	33.6 kbps / Less than 3 sec.			
Image Memory Capacity	3.5MB			170MB
Dual Fax	-	Yes (Fax System 10(X) x 2 units required)		
Optional Items:				
Document Processor	-		DP-5100: 75 sheet RADF Type; DP-5120: 100 sheet (Dual: built-in CIS type); DP-5130: 270 sheet (Dual: built-in CIS type)	
Paper Feeder	PF-5120: 500 sheet x 1 Paper Feeder; PF-5130: 500 sheets x 2 Paper Feeder; PF-5140: 2,000 sheets x 1 Paper Feeder (A4/Letter)			
Card Authentication	Card Authentication Kit(B)/ Card Reader Holder 11			
Gigabit Ethernet Board	IB-50: For Additional Work			
Wireless LAN Interface	IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct)			
Storage Device	HD-6: SSD 32GB; HD-7: SSD 128GB	HD-11(B): 320GB (TASKalfa 358ci only)		
Finisher	JS-5100: Inner Job Separator; DF-5100: 300 sheet Inner Finisher; AK-5100: Attachment Kit; MT-5100: 5 bins Mailbox Sorter; Staple: SH-10	JS-5100: Inner Job Separator; DF-5100: 300 sheet Inner Finisher; DF-5110: 1000 sheet Finisher; DF-5120: 3,000 sheet Finisher; AK-5100: Attachment Kit; PH-5110: Punch Unit; MT-5100: 5 bins Mailbox Sorter; Staple: SH-10		
Fax System	Fax System 11		Fax System 10(X)	
Internet FAX	-		Internet FAX Kit(A)	
Embedded OCR	-		Scan Extension Kit(A)	
Numeric Key Pad	-		NK-7100(B)	
Original Hard Copy Holder	DT-5100			

**KYOCERA Document Solutions Hong Kong Limited**  
16/F, Mita Centre, 552-566 Castle Peak Road,  
Tsuen Wan, N.T., Hong Kong  
Tel: +852-3582-4000 Fax: +852-3185-1399



Kyocera Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

©2019 KYOCERA Document Solutions Hong Kong Limited.

[www.kyoceradocumentsolutions.com.hk](http://www.kyoceradocumentsolutions.com.hk)